

# Milk-preparation tools

## USES



For precise delivery of quantities of milk Avedemil offers a **milk-dosing unit** with a flow rate of 5500 litres/hr. The unit delivers precise volumes into containers. Suitable for containers of varying volumes

The **tools** provide everything needed for connecting the pipes to the pumps.

Two types of connecting hose are also available: the **Tricoclair hose** and the **reinforced hose**. The hoses are robust, yet remain flexible for easy and efficient operation.

REFERENCE : DL 01

## Metering pump

### TECHNICAL DETAILS



- Continuous flow rate of 5500 litres/hr
- Mounted on a stainless-steel castoring trolley
- Stainless-steel programmable flowmeter with a delivery precision of +/- 1%
- Filling tube
- Closed-circuit cleaning
- 220 V single phase
- Connection: 38 SMS
- 38mm flexible hose not supplied

Dimensions (mm)		
Height	Length	Depth
1000	700	500

### OPTIONS



- Tricoclair hose (P038TT)
- Reinforced hose (P038TR)




*Photo for information only*

REFERENCE : CLE 01

## Stainless-steel key

### TECHNICAL DETAILS



*Photo for information only*

A versatile wrench giving a positive grip for screwing and unscrewing all dairy connections from 25 mm to 104 mm Ø

Length (mm)	Height (mm)	Weight (g)
278	55	380

## Accessories



- P038ER** Pump coupling accessories including:
- Stainless-steel key for SMS and DIN connections
  - Four 38mm female hose connections
  - Four joint washers
  - Four stainless-steel hose clips

*Photo for information only*



**P038TT** 38mm diam. Tricocclair hose.  
For different lengths of Tricocclair hose  
contact us.



**P038TR** 38mm diam. reinforced hose. For  
different lengths of hose contact us.